



Quercus cerris 'Curly Head'



Højde	4 - 5 m
Bredde	3-4m
Trækron	broad ovoid , dark, dense crown
Bark og grene	twigs grey-brown to grey-green, felt-like, bark almost black, roughly grooved
Blad	elongated to oval, shallow lobes, dark green, leaves and lobes very curled, 5 - 6 cm
Blomster	golden-coloured ♂ catkins, 5 - 6 cm, May
Frugter	long ovoid, 2.5 - 3 cm, in groups of 1 - 4, cupule with long, narrow reflexed scales
Torne	ingen
Toksicitet	normalt ikke giftigt for mennesker, (store) kæledyr og husdyr
Jordtype	preferably limy
Jordfugtighed	Tåler våd jord
Krav til vækststedet	Tåler ikke hærkning
vinterhårdhed	6a (-23,3 til -20,6 °C)
Vindbestandighed	good
Øvrige modstandsdygtigheder	modstandsdygtig mod frost (vinterfasthed 1 til 6), modstandsdygtig mod vind, modstandsdygtig mod vejsalt
Anvendelse	kubusformet, industriområde, lille have, patiohave
Form	højstammet træ, fjedret træ
Oprindelse	M.M. Bömer, Zundert, the Netherlands, 2005

Lille, næsten busket træ med en noget uregelmæssig, bredt opstigende vækstform. Vokser betydeligt langsommere end arten. 'Curly Head' avles normalt på en høj stamme og når en højde på 4 til 5 m. Bladene er mindre end artens, aflange til ovale med flade flige. De er stærkt krøllede, og fligene er også indrullede. Sommerbladet er mørkegrønt og bliver gulbrunt om efteråret. Det bliver siddende på træet indtil foråret. På grund af sin beskedne størrelse er den velegnet til brug i gader, boligområder og på pladser.